


/





01
03
05
07
09
11

13
15
17
19
21
23
25

27
28
29

MIPC1000-80T
MPS10020KT-C
MPS20020KT-C
MIPC1000-100
MIPC1000-100C2
MIPC1000-160L
MIPC1000-135C1

CU
CU
P C





240 kW






() ()

2000 m 2000 m






()

()

--
--
--

-40 ~ +65

-40 ~ +65




()

()

-40 ~ +65
-40 ~ +65

()

30 kW




	/ 323-456 VAC () 280-480 VAC ()
	> 0.99 @ 50%-100% 5% @ 50%-100% @ 380
	± 1% (20%-100%)
	- -
	-40 ~ +75 -40 ~ +75 5-95%
	2000 m, 4000 m 100 m 1
	300,000
	4.2 kVDC - 3.5 kVDC - 3.5 kVDC - 4.2 kVDC -CAN 4.2 kVDC -CAN
/	,
/	,
	,
(W x H x D)	459 mm ()


40 kW



(CCU)



(CU)



POS M1 QR




4G WIFI



-
-
-
-

-
-
-
-

(PLC



R&D

>3000

35% ▽

1990

↑ 2024 400+

&

32

• 9

38

• 28



CNAS TUV UL-WTDP UL-CTF



ODM

DEM

